MODEL 600S 600 POUND SINGLE MAGNETIC LOCK



SPECIFICATIONS

- U.L. LISTED, LISTING NUMBER R16759
- 600 POUND MINIMUM HOLDING FORCE
- MAGNET SIZE 9-7/8" L x 1-11/16" H x1" W
- ARMATURE SIZE 5-1/2" L x 1-1/4" W x 7/16" D
- **12 OR 24 VOLT DC OPERATION, JUMPER SELECTABLE**
- CURRENT DRAW 400 MA @ 12 VDC, 200 MA @ 24 VDC
- ALL METAL NON-ALUMINUM PARTS ARE PLATED
- CLEAR ANODIZED US 28 FINISH STANDARD
- DURONIC US 40 FINISH AVAILABLE
- DRESS-UP COVERS IN POLISHED CHROME AND BRASS ARE AVAILABLE
- LIFETIME WARRANTY

PLEASE READ BEFORE INSTALLATION

ALARM CONTROLS CORPORATION OFFERS A COMPLETE LINE OF MAGNETIC LOCKS AND ACCESSORY ITEMS TO ASSIST THE INSTALLER IN MANAGING EVERY APPLICATION.

THE MAGNETIC LOCK IS DESIGNED TO MOUNT TO THE DOOR FRAME ON THE STOP SIDE OF THE DOOR IN A TYPICAL OUTSWINGING DOOR INSTALLATION, (SEE PAGE 2 FOR INSWINGING DOOR INSTALLATION). SUFFICIENT HEADER SPACE MUST BE AVAILABLE TO MOUNT THE MAGNETIC LOCK TO INSURE A SAFE AND SECURE INSTALLATION.

1. NOTE TYPE OF DOOR FRAME HEADER AND INSTALL FILLER PLATE OR ANGLE BRACKET AS REQUIRED TO PROVIDE A FLAT MOUNTING SURFACE ON THE DOOR HEADER THE ENTIRE LENGTH OF THE MAGNETIC LOCK.



2. FOLD TEMPLATE ON DOTTED LINE TO FORM A 90 DEGREE ANGLE. TAPE TEMPLATE AGAINST DOOR HEADER WITH DOOR IN A CLOSED POSITION 1" FROM DOOR FRAME OPPOSITE HINGE SIDE OF DOOR JAMB. FOR A PAIR OF DOUBLE DOORS PLACE TEMPLATE AT THE CENTER OF THE DOOR OPENING. TRANSFER HOLE LOCATIONS TO DOOR AND FRAME HEADER, (SEE TEMPLATE INSTRUCTIONS).

3. FOLLOW TEMPLATE INSTRUCTIONS FOR HOLE SIZES. USE THE ILLUSTRATIONS BELOW TO DETERMINE THE PROPER HOLE PREPARATION FOR THE ARMATURE PLATE ACCCORDING TO THE DOOR TYPE IN THE INSTALLATION.

THE INCLUDED HARDWARE PACKAGE CONTAINS ALL NECESSARY ITEMS TO COMPLETE THE INSTALLATION.

TO REMOVE THE HEADER PLATE INSERT HEX KEY INTO HOLES LOCATED AT THE BOTTOM OF LOCK ON THE RIGHT AND LEFT SIDE AND UN-SCREW THE CAP SCREWS



INSWINGING DOOR INSTALLATION WITH L-Z BRACKET



MAGNETIC LOCK L / Z BRACKETS FOR INSWINGING DOORS

AM2370 FOR 300 POUND MAGNETIC LOCK

AM3370 FOR ALL 600 POUND MODELS OF SINGLE MAGNETIC LOCKS

AM6370 FOR ALL 1200 POUND MODELS OF SINGLE MAGNETIC LOCKS

AM3375 FOR ALL 600 POUND MODELS OF DOUBLE MAGNETIC LOCKS

AM6375 FOR ALL 1200 POUND MODELS OF DOUBLE MAGNETIC LOCKS

MAGNETIC LOCK CARE AND MAINTENANCE

MAGNETIC LOCKS HAVE NO INTERNAL MOVING PARTS AND REQUIRE A MINIMUM AMOUNT OF MAINTENANCE.

IT IS RECOMMENDED THAT THE FACE OF THE ARMATURE PLATE AND MAGNET BE WIPED CLEAN AND A LIGHT COATING OF A SUITABLE SILCONE LUBRICANT BE APPLIED TO EACH SURFACE TO PREVENT RUST ALTHOUGH THE MATING SURFACES HAVE BEEN PLATED. THIS ONLY NEEDS TO BE DONE WHEN DIRT BUILD-UP IS NOTICED.

THE ARMATURE PLATE BOLT AND THE HEX HEAD SCREWS HOLDING THE MAGNET TO HEADER PLATE SHOULD BE CHECKED EVERY THREE MONTHS TO INSURE A SAFE AND SECURE INSTALLATION.

MAGNETIC LOCK ELECTRICAL SPECIFICATIONS

300 POUND MODEL SINGLE MAGNETIC LOCK, 250 MA. @ 12 VDC, 130 MA. @ 24 VDC

ALL 600 POUND MODELS OF SINGLE MAGNETIC LOCK, 400 MA. @ 12 VDC, 200 MA. @ 24 VDC

ALL 1200 POUND MODELS OF SINGLE MAGNETIC LOCK, 400 MA. @ 12 VDC, 200 MA. @ 24 VDC

ALL 600 POUND MODELS OF DOUBLE MAGNETIC LOCKS, 400 MA. @ 12 VDC, 200 MA. @ 24 VDC, EACH LOCK

ALL 1200 POUND MODELS OF DOUBLE MAGNETIC LOCKS, 400 MA. @ 12 VDC, 200 MA. @ 24 VDC, EACH LOCK

ALL MAGNETIC LOCKS ARE SET AT THE FACTORY FOR 24 VDC

TYPICAL MAGNETIC LOCK WIRING



WIRE GAUGE CHART

| DISTANCE FROM POWER SUPPLY TO MAGNETIC LOCK | | | | | | | | | | |
|---------------------------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| | 12 VDC | 50 | 100 | 150 | 200 | 300 | 400 | 500 | 750 | 1000 |
| DC CURRENT | 24 VDC | FEET |
| | 200 MA. | 24 GA. | 22 GA. | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. |
| | | 24 GA. | 24 GA. | 24 GA. | 22 GA. | 22 GA. | 22 GA. | 20 GA. | 20 GA. | 18 GA. |
| | 300 MA. | 24 GA. | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. |
| | | 24 GA. | 24 GA. | 22 GA. | 22 GA. | 22 GA. | 20 GA. | 20 GA. | 18 GA. | 16 GA. |
| | 400 MA. | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. | 12 GA. |
| | | 24 GA. | 22 GA. | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. |
| | 600 MA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. | 12 GA. | 10 GA. |
| | | 24 GA. | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. |
| | 800 MA. | 22 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 12 GA. | 10 GA. | 10 GA. | 8 GA. |
| | | 22 GA. | 22 GA. | 20 GA. | 18 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. | 12 GA. |
| | 1 AMP. | 20 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. | 12 GA. | 10 GA. | 10 GA. | 8 GA. |
| | | 22 GA. | 20 GA. | 20 GA. | 18 GA. | 16 GA. | 14 GA. | 14 GA. | 12 GA. | 10 GA. |

TROUBLE SHOOTING GUIDE

| PROBLEM | CAUSE | SOLUTION | | |
|-------------------------------------------------------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|--|--|
| LOCK BUZZES | AC VOLTAGE CONNECTED TO LOCK AC RIPPLE IN POWER SUPPLY | SUPPLY DC VOLTAGE TO LOCK REPLACE POWER SUPPLY | | |
| | INCORRECT INPUT VOLTAGE | CHECK VOLTAGE JUMPER POSITION FOR CORRECT VOLTAGE SETTING LOCK SET AT FACTORY FOR 24 VDC | | |
| | LOW INPUT VOLTAGE | CHECK POWER SUPPLY VOLTAGE WIRE GAUGE INCORRECT FOR WIRE RUN | | |
| INSUFFICIENT HOLDING FORCE | MISALIGNMENT OF ARMATURE PLATE | ARMATURE PLATE MUST COVER ALL MAGNETIC POLES OF LOCK | | |
| | ARMATURE PLATE SCREWED TIGHT TO DOOR | ARMATURE PLATE MUST ROCK ON DOOR TO ALIGN WITH LOCK | | |
| | WRONG HARDWARE ASSEMBLY | A METAL WASHER,RUBBER WASHER AND METAL WASHER MUST BE BETWEEN DOOR AND ARMATURE PLATE | | |
| DOOR DOES NOT LOCK | NO POWER TO DOOR | CHECK POWER AT LOCK CHECK POWER SUPPLY CHECK ALL CONNECTIONS | | |
| DOOR STATUS SENSOR NOT WORKING (APPLICABLE MODELS) | MAGNET IN ARMATURE PLATE NOT ALIGNED WITH LOCK | ALIGN MAGNET IN ARMATURE PLATE WITH DOOR STATUS SENSOR DOT ON LOCK | | |

MODEL 600 SERIES SINGLE DRILL TEMPLATE



MAGNETIC LOCK WIRING INSTRUCTIONS MODELS 600S, 600L, 600D, 1200S, 1200L

To remove the header plate, it may be necessary to remove the wiring compartment screw. A long wiring compartment screw can be used to increase security by limiting access to the header plate mounting screw from below the lock.

WIRING INSTRUCTIONS

VOLTAGE IS FACTORY SET FOR 24VDC OPERATION. For 12VDC operation, access the voltage selection switch via the wiring compartment.

600 Series







A terminal block is provided for wiring the maglock to the power supply.

For models 600L and 1200L a pair of flying leads are provided for the LED. Connect the Red Lead to (V+) and the Black LED to (V-)

ALIGNMENT OF THE MAGLOCK AND ARMATURE PLATE

Align the maglock and armature plate as shown.

Armature plate must be mounted to door using the rubber washer sandwiched between the metal washers provided. Do not excessively tighten bolt. Armature must float on door. Screw locking agent is provided on each screw.

